

Dementia/Elderly Care

Anderson, K., Bird, M., Macpherson, S., McDonough, V., & Davis, T. (2011) Findings from a Pilot Investigation of the Effectiveness of a Snoezelen Room in Residential Care: Should We Be Engaging with Our Residents More? *Geriatric Nursing*, 32 (3), p.166-177

Anstee, H. (1999) Physiotherapy in a multi-sensory environment. *British Journal of Therapy and Rehabilitation*, 6, p. 38-41

Baillon S, van Diepen E, Prettyman R, Rooke N, Redman J, Campbell R. (2005) Variability in response of older people with dementia to both Snoezelen and reminiscence. *British Journal of Occupational Therapy*, 68(8) p.367-374

Baillon, S., Van Diepen, E., Prettyman, R., Redman, J., Rooke, N., & Campbell, R. (2004) A comparison of the effects of Snoezelen and reminiscence therapy on the agitated behaviour of patients with dementia. *International Journal of Geriatric Psychiatry*, 19, p.1047-1052

Baker, R., Holloway, J., Holtkamp, C. C., Larsson, A., Hartman, L. C., Pearce, R. et al. (2003) Effects of multi-sensory stimulation for people with dementia. *Journal of Advanced Nursing*, 43(5), p. 465-477

Baker et al (2001) A randomised controlled trial of the effects of multi-sensory stimulation for people with dementia. *British Journal of Clinical Psychology*, 40, p.81-96

Baker et al (1998) Psychological issues crossing cultures in multisensory environments (Abstract) Multisensory Enhancements in dementia Care Conference. Bournmouth: Dorest Healthcare Trust.

Baker, R., Dowling, Z., Wareing, L.-A., Dawson, J., & Assey, J. (1997) Snoezelen: its long-term and short-term effects on older people with dementia. *British Journal of Occupational Therapy*, 60 (5), p.213-218

Ball, J. & Haight, B. K. (2005) Creating a multisensory environment for dementia: the goals of a Snoezelen room. *Journal of Gerontological Nursing*, 31, p.4-10

Beatty W, Zavadil K, Bailly R, Rixen G, Zavadil L, Farnham N, Fisher L. (1998) Preserved musical skill in a severely demented patient. *International Journal of Clinical Neuropsychology*, 10, p.158-64

Bell, S., Assey, J., et al (1998) A Randomised Controlled Trial of the Snoezelen Multi-Sensory Environment for Patients with Dementia. Bournemouth: Dorset HealthCare NHS Trust.

Berg, A., Sadowski, K., Beyrodt, M., Hanns, S., Zimmermann, M., Langer, G. et al. (2010) Snoezelen, structured reminiscence therapy and 10-minutes activation in long term care residents with dementia (WISDE): study protocol of a cluster randomized controlled trial *BMC Geriatrics*, 10 p.5



Bower, H (1967) Sensory Stimulation and the treatment of senile dementia. *Medical Journal of Australia*, p.113-119

Buettner LL. (1999) Simple pleasures: A multilevel sensorimotor intervention for nursing home residents with dementia. *American Journal of Alzheimer's Disease*, 14, p.41-51

Burns I, Cox H, Plant H. (2000) Leisure or therapeutics? Snoezelen and the care of older persons with dementia. *International Journal of Nursing Practice*, 6, p.118-26

Chung, J & Lai, C (2008) Snoezelen for Dementia. The Cochrane Library. Available at: http://onlinelibrary.wiley.com/doi/10.1002/14651858.CD003152/abstract. Accessed 24 January 2014.

Collier, L., McPherson, K., Ellis-Hill, C., Staal, J., & Bucks, R. (2010) Multisensory stimulation to improve functional performance in moderate to severe dementia--interim results. Americal Journal of Alzheimer's disease and Other Dementias, 25, p.698-703

Cornell, A (2004) Evaluating the effectiveness of Snoezelen on women who have a dementing illness. International Journal of Psychiatric Nursing Research, 9, p.1045-1062

Cox H, Burn I & Savage S. (2004) Multisensory environments for leisure: promoting well being in nursing home residents with dementia. *Journal of Gerontological Nursing*. 30(2), p.37-45.

Diepen et al (2002) A Pilot Study of the Physiological and Behavioural Effects of Snoezelen in Dementia. *British Journal of Occupational Therapy.* 2 (12) p.61-66

Ellis, J. & Thorn, T. (2000) Sensory stimulation: where do we go from here? *Journal of Dementia Care*, 8, p.33–37

Finnema, E., Droes, R. M., Ribbe, M., & Van Tilburg, W (2000) The effects of emotion-oriented approaches in the care for persons suffering from dementia: a review of the literature *International Journal of Geriatric Psychiatry*, 15, p.141 - 161

Heyn P. (2003) The effect of a multisensory exercise program on engagement, behavior, and selected physiological indexes in persons with dementia. *American Journal of Alzheimer's Disease and Other Dementias* 18(4):247-51.

Holtkamp CCM, Kragt K, van Dongen MCJM, van Rossum E, Salentijn C. (1997) [The effects of multi sensory stimulation on the behaviour of demented elderly] [Effecten van snoezelen op het gedrag van demente ouderen]. *Tijdschrift voor Gerontologie en Geriatrie*, 28, p.124-8

Hope, K. & Waterman, H (2004) Using multi-sensory environments with people with dementia. *Dementia*, 3, p.45-58

Hope, K (1998) The effects of multi-sensory environments on older people with Dementia. *Journal of Psychiatric Mental Health Nurses*, 5, p.377-385



Hope, K. (1996) Caring for older people with dementia: is there a case for the use of multisensory environments? *Reviews in Clinical Gerontology*, 6, p.169–175

Klages, K., Zecevic, A., Orange, J. B., & Hobson, S (2011) Potential of Snoezelen room multisensory stimulation to improve balance in individuals with dementia: a feasibility randomized controlled trial. *Clinical Rehabilitation*, 25 (7), p. 607-16

Kovach, C. (2000) Sensoristasis and imbalance in persons with dementia. *Journal of Nursing Scholarship*, 32, p.379–384

Kragt K, Holtkamp CCM, van Dongen MCJM, van Rossum E, Salentijn C. (1997) [The effect of multi sensory stimulation in the multi sensory stimulation room on the wellbeing of demented elderly] [Het effect van snoezelen in de snoezelruimte op het welbevinden van demente ouderen]. *Verpleegkunde*, 12(4), p.227-36

Lancioni, G. E., Cuvo, A. J., & O'Reilly, M. F (2002) Snoezelen: an overview of research with people with developmental disabilities and dementia. *Disability and Rehabilitation*, 24, p. 175-184

McKenze C. (1995) Brightening the lives of elderly residents through Snoezelen. *Nursing Practice*, 7, p.11-13

Minner, D., Hoffstetter, P., Casey, L., & Jones, D (2004) Snoezelen activity: the Good Shepherd Nursing Home experience. *Journal of Nursing Care Quality*, 1, p. 343-348

Moffat, N., Barker, P., Pinkney, L., et al (1993) *Snoezelen. An Experience for People with Dementia*. Bournemouth: Dorset Health Care NHS Trust.

Morrissey, M. & Biela, C. (1997) Snoezelen. Benefits for nursing older clients. *Nursing Standard*, 12, p.38–40

Pinkney, L. (1997) A comparison of the Snoezelen environment and a music relaxation group on the mood and behaviour of patients with senile dementia. *British Journal of Occupational Therapy*, 60, p.209–212

Reuschenbach, B. & Mallau, A (2005) Snoezelen in dementia: disco in the nursing home or sensible therapeutic offering? *Pflege*.Z., 58, p.304-308

Riley-Doucet, C. K (2009) Use of multisensory environments in the home for people with dementia. *Journal of Gerontological Nursing*, 35 p. 42-52

Robichaud et al (1994) Efficacy of a sensory Integration Program on the behaviours of inpatients with dementia. *American Journal of Occupation* 48 (4) 355-360

Savage P. (1996) Snoezelen for confused older people: Some concerns. Elderly Care, 8,p.20-1

Schofield, P (2003) A pilot study into the use of a multisensory environment (Snoezelen) within a palliative day-care setting. *International Journal of Palliative Nursing*, 9, p.124-130



Slevin E, McClelland A. (1999) Multisensory environments: are they therapeutic? A single subject evaluation of the clinical effectiveness of a multisensory environment. *Journal of Advanced Nursing*, 8(1)p.48-56

Spaull, D., Leach, C. & Frampton, I. (1998) An evaluation of the effects of sensory stimulation with people who have dementia. *Behavioural and Cognitive Psychotherapy*, 26, p.77–86

Staal et al (2007) The effects of Snoezelen (Multi sensory behaviour therapy) and psychiatric care on agitation, apathy and activities of daily living in Dementia patients on a short term geriatric psychiatric inpatient unit. *Psychiatry in Medicine*. 37(4), p. 357–369

Staal, J., Sacks, A., Matheis, R., Beilfus, R., Calia, T., Hanif, H. et al (2006) Combination Treatment: The effects of multi-sensory behavior therapy (Snoezelen) and standard psychiatric care on agitation, apathy, and activities of daily living in dementia patients on a short term geriatric psychiatric inpatient unit. *Gerontologist*, 45, p.131

Staal et al (2003) Assessment of stimulus preferences in multisensory environment therapy for older people with dementia. *British Journal of Occupational Therapy*, 66 (12), p. 542-549

Staal, J (1999) An integration of Snoezelen with behavioural theory and practice to promote effective therapeutic outcomes. Paper presented at the third Snoezelen World Congress, Toronto, Canada

Van Diepen E, Baillon S, Redman J, Rooke N, Spencer DA, Prettyman R. (2002) A pilot study of the physiological and behavioural effects of Snoezelen in dementia. *British Journal of Occupational Therapy*, 65(2), p.61-5

Van Weert (2006) Behavioural and mood effects of Snoezelen integrated into 24h dementia care. *Journal of American Geriatric Society, 53* (1), p.24-33

Van Weert, J (2005) Multi-sensory stimulation in 24 hour dementia care. *Netherlands Institute for Health Services Research (NIVEL)* The Netherlands.

Van Weert (2005) Effects of Snoezelen, intergrated in 24h dementia care on nursing-patient communication during morning care. *Patient Education and Counselling*, 58, p.316-326

Van Weert et al (2004) The implementation of Snoezelen in Psychogeriatric Care: an evaluation through the eyes of caregivers. *International Journal of Nursing Studies.* p.397-409.

Van Weert, J. C. M., Janssen, B. M., van Dulmen, A. M., Spreeuwenberg, P. M. M., Bensing, J. M., & Ribbe, M. W. (2006) Nursing assistants' behaviour during morning care: effects of the implementation of snoezelen, integrated in 24-hour dementia care. *Journal of Advanced Nursing*, 53, p.656-668



Van Weert, J. C., van Dulmen, A. M., Spreeuwenberg, P. M., Ribbe, M. W., & Bensing, J. M(2005) Effects of snoezelen, integrated in 24 h dementia care, on nurse-patient communication during morning care. *Patient Education and Counselling*, 58, p.312-326

Weert, J., Janssen, B., van Dulmen, A., Spreeuwenberg, P., Bensing, J., & Ribbe, M. (2005) Nursing assistants behaviour during morning care: effects of the implementation of Snoezelen, integrated in 24-hour dementia care. *Journal of Advanced Nursing*, 53, p. 656-668

Weert, J. C., van Dulmen, A. M., Spreeuwenberg, P. M., Bensing, J. M., & Ribbe, M. W. (2005) The effects of the implementation of snoezelen on the quality of working life in psychogeriatric care. *International Psychogeriatrics*, 17, p.407-427

Woodrow, P. (1998) Interventions for confusion and dementia. 4: Alternative approaches. *British Journal of Nursing*, 7, p. 1247-1250